

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	133	(authenticat\$5 authoriz\$5) near10 (API) near5 (request call method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 08:59
L5	0	(inter-application) near5 (communicat\$5 execut\$5) same (format) same (translat\$5) same (API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 09:00
L6	33	(inter-application) near5 (communicat\$5 execut\$5) and (format) same (translat\$5) same (API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 09:57
L7	566	(API) near5 (version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:05
L8	16	(API) near5 (version) same (absol\$5 destroy\$5 delet\$5 deprec\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:05
L9	0	(API) near5 (version) same (deprec\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 09:58
L10	253	(API)adj3 (version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:49
L11	118	(API)adj1 (version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:44
L12	8063	(notify\$5 rely\$5 alert\$5) near10 (stop\$5 cancel\$5 delet\$5 destroy\$5) (API)adj3(version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:09
L13	8027	(notify\$5 reply\$5 alert\$5) near10 (stop\$5 cancel\$5 delet\$5 destroy\$5) (API)adj3(version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:46
L14	3979	(notify\$5 reply\$5 alert\$5) near3 (stop\$5 cancel\$5 delet\$5 destroy\$5) (API)adj3(version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:46

L15	3979	(notify\$5 reply\$5 alert\$5) near3 (stop\$5 cancel\$5 delet\$5 destroy\$5) ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:46
L16	3981	(notify\$5 reply\$5 alert\$5) near3 (stop\$5 cancel\$5 delet\$5 destroy\$5 deprecate\$5) ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:47
L17	0	(notify\$5 reply\$5 alert\$5) near3 (stop\$5 cancel\$5 delet\$5 destroy\$5 deprecate\$5) near10 ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:55
L18	0	(stop\$5 cancel\$5 delet\$5 destroy\$5 deprecate\$5) near10 (apply\$5 using use) near5 ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:48
L19	1	(stop\$5 cancel\$5 delet\$5 destroy\$5 deprecate\$5) near10 (apply\$5 using use) near5 ((Interface)near5(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 10:48
L20	22	(identify\$5 check\$6 inform\$5) near10 ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:31
L21	0	(send\$5 tranfer\$5 email\$5) near10 ((deprecation) (phasing near3 out) phased) near4 (notification message) near20 ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:22
L22	0	((deprecation) (phasing near3 out) phased) near4 (notification message) near20 ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:22
L23	19	((deprecation) (phasing near3 out) phased) near4 (notification message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:24
L24	0	((deprecation) (being near3 phased near3 out) phased) near4 (API adj2 version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:26
L25	409	(deprecate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:25

L26	1	(deprecat\$5) and (API adj3 version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:25
L27	0	(being near3 phased near3 out) near4 (API adj2 version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:26
L28	0	(track\$5) near10 ((API)adj3(version)) and ((RPC) (remote near3 procedure near3 call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:23
L29	1	(track\$5) near10 ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 12:34
L30	14272	((function-based) synchronous) near5 (API near3 call\$5) and (XML) and (EDI) and (MIME) nad (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:08
L31	2	((function-based) synchronous) near5 (API near3 call\$5) and (XML) and (EDI) and (MIME) and (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:21
L32	2	((function-based) synchronous) near5 (API near3 call\$5) and (XML) and (EDI) and (MIME) and (JAVA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:08
L33	0	370/230,230.1,229,300.ccls. and((function-based) synchronous) near5 (API near3 call\$5) and (XML) and (EDI) and (MIME) and (JAVA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:09
L36	0	719/311,313,318,328.ccls. and (notify\$5 rely\$5 alert\$5) near10 (stop\$5 cancel\$5 delet\$5 destroy\$5) near10 (API)adj3(version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:14
L38	0	370/230,230.1,229,300.ccls. and (notify\$5 rely\$5 alert\$5) near10 (stop\$5 cancel\$5 delet\$5 destroy\$5) near10 (API)adj3(version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:16
L39	0	"709"/\$.ccls. and (notify\$5 rely\$5 alert\$5) near10 (stop\$5 cancel\$5 delet\$5 destroy\$5) near10 (API)adj3(version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:16

L40	0	719/311,313,318,328.ccls. and ((function-based) synchronous) near5 (API near3 call\$5) and (XML) and (EDI) and (MIME) and (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:22
L41	1	719/311,313,318,328.ccls. and ((function-based) synchronous) near5 (API near3 call\$5) and (XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:22
L42	0	719/311,313,318,328.ccls. and (track\$5) near10 ((API)adj3(version)) and ((RPC) (remote near3 procedure near3 call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:23
L43	1	719/311,313,318,328.ccls. and (track\$5) near10 ((API)adj3(version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:24
L44	2	"5278955".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:03
L45	2	"6329619".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 14:25
L46	2	"5329619".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:01
L47	2	"5434908".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:01
L48	2	"5475836".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:03
L49	2	"5581461".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:04
L50	2	"4604686".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:04

L51	2	"5280610".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:05
L52	45	(SERVICE REQUEST) near5 (broker) and ((API) near5 (version))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 15:05
S1	2	"6222533".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 13:24
S2	2	"5596702".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 13:47
S3	2	"5339434".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 13:48
S4	2	"6066181".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 14:05
S5	14247	((asynchronous (document-based) (function-based) synchronous) near5 (API near3 call\$5) and (XML) and (EDI) and (MIME) nad (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 13:07
S6	14247	((asynchronous (document-based)) near5 (API near3 call\$5)) and (((function-based) synchronous) near5 (API near3 call\$5)) and (XML) and (EDI) and (MIME) nad (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 14:12
S7	14247	((asynchronous (document-based)) near5 (API adj2 call\$5)) and (((function-based) synchronous) near5 (API adj2 call\$5)) and (XML) and (EDI) and (MIME) nad (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:04
S8	7	((asynchronous (document-based)) near5 (API adj2 call\$5)) and (((function-based) synchronous) near5 (API adj2 call\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 14:14
S9	14329	(XML) and (EDI) and (MIME) nad (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:04

S10	2	(asynchronous (document-based) (function-based) synchronous near5 (API near3 call\$5) and (XML) and (EDI) and (MIME) and (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:04
S11	2	(XML) and (EDI) and (MIME) and (JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:05
S12	155	(deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:05
S13	18	(JAVA) and (exception) and (deprecation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:12
S14	2	(API) same (deprecation) near4 (notice status indication reply message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:13
S15	197	(Translat\$5 transcod\$5 conver\$5 chang\$5) near7 (XML EDI JAVA) near5 (JAVA NEAR5 CLASS\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:16
S16	30	(Translat\$5 transcod\$5 conver\$5 chang\$5) near7 (XML EDI JAVA) near5 (JAVA NEAR5 CLASS\$5) and (API near4 Call\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:19
S17	0	(Translat\$5 transcod\$5 conver\$5 chang\$5) near7 (XML and EDI and JAVA) near5 (JAVA NEAR5 CLASS\$5) and (API near4 Call\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:47
S18	0	(XML and EDI and JAVA) near5 (JAVA NEAR5 CLASS\$5) and (API near4 Call\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:43
S19	0	(Translat\$5 transcod\$5 conver\$5 chang\$5) near7 (EDI) near5 (JAVA NEAR5 CLASS\$5) and (API near4 Call\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:51
S20	0	(EDI) near5 (JAVA NEAR5 CLASS\$5) and (API near4 Call\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:52

S21	1	(EDI) near5 (API near4 Call\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:53
S22	119	(HTTPS) and ((firewall) same (open) near10 (port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 16:43
S23	1	(NAPI) and (HAPI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 16:44
S24	9	(API) near5 (discard\$5 destroy\$5 depreciat\$5 deprecate\$5 disapprov\$5) near5 (reply indicat\$5 signal message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 17:03
S25	0	(do should would must) near5 (apply use) near5 (API) near5 (method reply call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 17:04
S26	4	(do should would must) near5 (apply use) near5 (API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 17:05
S28	68	(authenticat\$5 authoriz\$5) near5 (API) near5 (request call method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 17:08